



Why Choose Us?

- 1 Expertise and Experience:** CMAC India Pvt. Ltd. may have specialized knowledge and experience in a particular industry, providing high-quality services or products. Their expertise can be beneficial for addressing specific challenges in your field.
- 2 Quality Assurance:** CMAC India has a reputation for delivering high-quality solutions, you can trust that the products or services they provide will meet your standards and requirements.
- 3 Customer-Centric Approach:** Companies that prioritize customer satisfaction often provide better after-sales support, tailored solutions, and personalized experiences.
- 4 Competitive Pricing:** If CMAC India offers competitive rates or a good value proposition for the services or products they offer, this can be a strong reason to choose them over others

About Us

We are one of the leading Designer, Manufacturer and Supplier of Construction and Infrastructure Equipments used in vertical transportation of Passenger and Goods Headquartered in Hyderabad, Telangana and Certified with ISO 9001:2015, we have a PAN India presence, catering to the diverse needs of projects. We have a full-fledged manufacturing unit ensuring the delivery of customized and top-quality equipments to our clients on time.

Services



CMAC Quality team shall carryout thorough inspection of the equipment in accordance with design standards,by using our TEST BED facilities



Our design facility at CMAC has 2 seats of AUTOCAD and 2 seat of SOILID WORKS with 25 plus years experience and dedicated designers



It is necessary to carry design load to prove the operation of the equipment and related safety features before delivering the equipment to our customer.



Hydraulic Elevator for Passengers & Goods




Hydraulic Elevator :- Hydraulic elevators are commonly use in private homes or residential buildings. In construction sites hydraulic elevators help in lifting construction materials, tools, and other heavy equipment to higher floors



Hydraulic Lift with Mesh Encloser



Hydraulic Lift with Tapan Glass Encloser



Hydraulic Lift with ACP Sheet Encloser

Hydraulic Lift - Technical Specification



Model	HYL-500	HYL-1000	HYL-1500
Rated Load (kg)	500	1000	1500
Safe Working Load(kg)	350	770	1120
Rated Passenger (No.)	5	11	16
Rated Lifting Speed (m/min)	6.5	6.5	6.5
Max Lifting Height(m) 3floors	10	10	10
Motor(KW)	1.5	1.5	1.5
Tank capacity(LTRS)	25	35	45
Cylinder stroke Max (mtrs)	5	5	5
Power Supply	220/230 Volts, Single Phase, 50Hz. A.C		



**Self Propelled
Scissor lift**

Model	Max platform height (m)	Rated load (kg)	Overall weight(kg)	Platform size (mm)	Overall L*W*H (m)	AC (VAC/kw)
SJY0.5-4	4.0	500	800	2100*830	2250*950*1100	380/0.75
SJY0.5-6	6.0	500	880	2100*830	2250*950*1200	380/0.75
SJY0.5-7	6.8	500	970	2100*830	2250*950*1200	380V/1.1
SJY0.5-8	8.0	500	1050	2100*930	2250*1060*1380	380V/1.5
SJY0.5-9	9.0	500	1165	2100*930	2250*1060*1500	380V/1.5
SJY0.5-10	10.0	500	1360	2100*1230	2250*1350*1530	380V/1.5
SJY0.3-11	11.0	300	1400	2100*1230	2250*1350*1650	380V/2.2
SJY0.5-12	12.0	500	2260	2550*1530	2796*1670*1750	380V/2.2
SJY0.5-14	14.0	500	2486	2812*1530	3067*1730*1810	380V/3.0
SJY0.3-16	16.0	300	3063	2812*1600	3067*1810*2080	380V/4.0
SJY0.3-18	18.0	300	3900	3070*1600	3321*1810*2080	380V/4.0
SJY1-4	4.0	1000	1250	2100*1200	2250*1350*1180	380/1.5
SJY1-6	6.0	1000	1400	2100*1200	2250*1350*1300	380/1.5
SJY1-8	8.0	1000	1585	2100*1200	2250*1350*1420	380V/2.2
SJY1-10	10.0	1000	1700	2100*1200	2250*1350*1530	380V/2.2
SJY1-12	12.0	1000	2560	2550*1530	2796*1700*1780	380V/3.0
SJY1-14	14.0	1000	3230	2812*1600	3067*1810*1900	380V/4.0
SJY1.5-6	6.0	1500	1780	2100*1530	2250*1750*1530	380V/2.2
SJY1.5-8	8.0	1500	2070	2100*1530	2250*1750*1690	380V/3.0
SJY1.5-10	10.0	1500	2250	2100*1500	2250*1750*1850	380V/3.0
SJY2-6	6.0	2000	1780	2100*1530	2250*1750*1530	380V/3.0
SJY2-8	8.0	2000	2070	2100*1530	2250*1750*1690	380V/4.0
SJY2-10	10.0	2000	2250	2100*1530	2250*1750*1850	380V/4.0



Motorized Gate

Specifications

Gate Weight Capacity	:- 1000kg
Rated Speed	:- 10 m/min
Motor Voltage	:- 230V
Power	:- 340W
Phase	:- Single Phase
Power Source	:- Electric



Electric Wheel Barrow



Load Capacity:	500kg
Material:	Steel



Contact Us

+91 9390311464

sales@cmac.co.in

HO: # 1-3-183/40/19, 2nd Floor, SBI Colony, Gandhi Nagar, Hyderabad - 500 080

